

HB1057\_L.019

SENATE COMMITTEE OF REFERENCE AMENDMENT

Committee on State, Veterans, & Military Affairs.

HB23-1057 be amended as follows:

1 Amend reengrossed bill, page 7, strike lines 22 and 23 and substitute:

2 "ENTITY THAT IS:

3 (a) SCHEDULED FOR RENOVATION OF A RESTROOM MUST:

4 (I) PROVIDE A NON-GENDERED SINGLE-STALL RESTROOM OR A  
5 NON-GENDERED MULTI-STALL RESTROOM WHERE A RESTROOM IS  
6 ACCESSIBLE TO THE PUBLIC;

7 (II) ENSURE THAT ANY SINGLE-STALL RESTROOM IS NOT A  
8 GENDER-SPECIFIC RESTROOM;

9 (III) ALLOW FOR THE USE OF A MULTI-STALL RESTROOM BY ANY  
10 GENDER IF CERTAIN FACILITY FEATURES ARE MET PURSUANT TO THE I.P.C.  
11 OR ANY SUBSEQUENT INTERNATIONAL PLUMBING CODE ADOPTED AS PART  
12 OF THE COLORADO PLUMBING CODE AND THE COLORADO FUEL GAS CODE  
13 ADOPTED BY THE STATE PLUMBING BOARD PURSUANT TO SECTION  
14 12-155-106;

15 (IV) PROVIDE ANY CAREGIVER ON THE GENDER BINARY THAT IS  
16 CARING FOR AN INFANT ACCESS TO AT LEAST ONE SAFE, SANITARY, AND  
17 CONVENIENT BABY DIAPER CHANGING STATION WHERE A RESTROOM IS  
18 ACCESSIBLE TO THE PUBLIC AS FOLLOWS:

19 (A) IF ONLY GENDER-SPECIFIC RESTROOMS ARE AVAILABLE, AT  
20 LEAST ONE CHANGING TABLE IN EACH RESTROOM;

21 (B) IF A NON-GENDERED SINGLE-STALL RESTROOM IS AVAILABLE,  
22 AT LEAST ONE CHANGING TABLE IN THAT RESTROOM, AND PUBLIC ENTITIES  
23 ARE ENCOURAGED TO ALSO PROVIDE CHANGING TABLES IN EACH OF THE  
24 SINGLE-STALL GENDER-SPECIFIC RESTROOMS;

25 (C) IF A NON-GENDERED MULTI-STALL RESTROOM IS AVAILABLE,  
26 AT LEAST ONE CHANGING TABLE IN THAT RESTROOM, AND PUBLIC ENTITIES  
27 ARE ENCOURAGED TO ALSO PROVIDE CHANGING TABLES IN EACH OF THE  
28 GENDER-SPECIFIC RESTROOMS; OR

29 (D) AN EASILY ACCESSIBLE LOCATION WITH EQUIVALENT PRIVACY  
30 AND AMENITIES AS A RESTROOM; AND

31 (V) ENSURE THAT EACH BABY DIAPER CHANGING STATION IS  
32 MAINTAINED, REPAIRED, AND REPLACED AS NECESSARY TO ENSURE  
33 SAFETY AND EASE OF USE AND CLEANED WITH THE SAME FREQUENCY AS  
34 THE RESTROOM IN WHICH IT IS LOCATED OR RESTROOMS ON THE SAME  
35 FLOOR OR IN THE SAME SPACE IF THE CHANGING TABLE IS LOCATED IN A  
36 RESTROOM."

\*\* \*\* \*\* \*\* \*\*