

HOUSE COMMITTEE OF REFERENCE AMENDMENT

Committee on Energy & Environment.

HB22-1362 be amended as follows:

1 Amend printed bill, page 4, strike lines 3 through 6 and substitute:

2 "(c) (I) "EV READY" MEANS A PARKING SPACE THAT:

3 (A) HAS THE ELECTRICAL PANEL CAPACITY, RACEWAY WIRING,
4 RECEPTACLE, AND CIRCUIT OVERPROTECTION DEVICES INSTALLED TO
5 SUPPORT FUTURE IMPLEMENTATION OF ELECTRICAL VEHICLE CHARGING
6 WITH A MINIMUM OF TWO HUNDRED EIGHT VOLTS AND A MINIMUM OF
7 FORTY-AMPERE RATED CIRCUITS; AND

8 (B) IS ADJACENT TO THE RECEPTACLE FOR THE ELECTRICAL
9 FACILITIES DESCRIBED IN SUBSECTION (1)(c)(I)(A) OF THIS SECTION.

10 (II) "EV READY" INCLUDES TWO ADJACENT PARKING SPACES IF THE
11 RECEPTACLE FOR THE ELECTRICAL FACILITIES DESCRIBED IN SUBSECTION
12 (1)(c)(I)(A) OF THIS SECTION IS INSTALLED ADJACENT TO AND BETWEEN
13 BOTH PARKING SPACES."

14 Page 5, line 25, strike "ELECTRIC VEHICLE READY" and substitute "EV
15 READY".

16 Page 6, line 1, strike "ELECTRIC VEHICLE READY," and substitute "EV
17 READY,".

** **